



























Schuyler County Report Card

Indicators of Health and Safety	County Data	National Data	NYS Data	Status	Goal/Objective
Maternal Mortality – rate per 100,000 live births	2005-2007 <sup>1</sup>	2005 <sup>9</sup>	2005-2007 <sup>1</sup>		Health People 2010 Goal
Schuyler	0.0	15.1	16.7		3.3
Early prenatal care - % of live births	2004-2006 <sup>1</sup>	2003-2005 <sup>11</sup>	2004-2006 <sup>1</sup>		Health People 2010 Goal
Schuyler	75.9	84.1	74.9		90.0
Pregnancy rate among females 15-17yr. olds- rates per 1,000	2005-2007 <sup>4</sup>	2002 <sup>13</sup>	2005-2007 <sup>4</sup>		Prevention Agenda 2013 Objective
Schuyler	14.3~	44.4	35.8		28 (43-HP2010)
Percentage births by women 35+ years	2004-2006 <sup>4</sup>	2005 <sup>11</sup>	2004-2006 <sup>4</sup>		Healthy People 2010 Goal
Schuyler	14.9	14.4	20.1		N/A
Percent of low birthweight (< than 2,500 grams) live births	2004-2006 <sup>1</sup>	2005 <sup>11</sup>	2004-2006 <sup>1</sup>		Prevention Agenda 2013 Objective
Schuyler	5.8	8.2	8.3		6.3 (5.0 HP 2010)
Indicated reports of child abuse, % families	2007 <sup>10</sup>		2007 <sup>10</sup>		Healthy People 2010 Goal
Schuyler	39.1		32.4		N/A
Percent of children with at least one lead screening by age 36 months.	2004 <sup>19</sup>	-	2004 <sup>19</sup>		Prevention Agenda 2013 Objective
Schuyler	60.4		82.8		96
Incidence of children <72 months with confirmed blood lead level >= 10 (per 100 children tested)	2003-2005 <sup>19</sup>		2003-2005 <sup>19</sup>		Prevention Agenda 2013 Objective
Schuyler	2.0~		1.3		0.0
Elevated blood lead levels (>25) per 100,000 employed persons age 16+ yrs.	2004-2006 <sup>19</sup>		2004-2006 <sup>19</sup>		Prevention Agenda 2013 Objective
Schuyler	s		6.0		0.0









Schuyler County Report Card

Indicators of Health and Safety	County Data	National Data	NYS Data	Status	Goal/ Objective
Prevalence of tooth decay in 3 <sup>rd</sup> grade children	2004 <sup>19</sup>	2004 <sup>19</sup>	2004 <sup>19</sup>		Prevention Agenda 2013 Objective
Schuyler	62.0	53.0	54.1		42
% of adults (ages 18-64) with health care coverage	2003 <sup>2</sup>	2006 <sup>14</sup>	2006 <sup>2</sup>		Prevention Agenda 2013 Objective
Schuyler, Chemung, Tioga	82.1	85.5	86.5		100.0
% of adults with regular health care provider	2008 <sup>3</sup>	2006 <sup>3</sup>	2006 <sup>3</sup>		Prevention Agenda 2013 Objective
Schuyler	87.5	80	85.0		96
% of adults who have seen a dentist in the past year	2003 <sup>3</sup>	2006 <sup>3</sup>	2006 <sup>3</sup>		Prevention Agenda 2013 Objective
Schuyler, Chemung, Tioga	70.6	70.3	71.8		83 (56-HP 2010)
Suicide mortality age adjusted rates per 100,000	2005-2007 <sup>1</sup>	2005 <sup>11</sup>	2005-2007 <sup>1</sup>		Prevention Agenda 2013 Objective
Schuyler	9.5~	10.9*	6.7		4.8
Unintentional injury discharges crude rate 15-24 yrs	2004-2006 <sup>1</sup>		2004-2006 <sup>1</sup>		Healthy People 2010 Goal
Schuyler	49.3		36.2		N/A
Unintentional injury discharge rate 65 +	2004-2006 <sup>1</sup>		2004-2006 <sup>1</sup>		Healthy People 2010 Goal
Schuyler	305.5		253.7		N/A
Unintentional injury hospitalizations adjusted rate	2005-2007 <sup>1</sup>	-	2005-2007 <sup>1</sup>		Prevention Agenda 2013 Objective
Schuyler	69.9		66.0		44.5
Unintentional injury mortality age-adjusted rate per 100,000 of population	2005-2007 <sup>1</sup>	2005 <sup>19</sup>	2005-2007 <sup>1</sup>		Prevention Agenda 2013 Objective
Schuyler	17.8~	39.1	22.6		17.1










Schuyler County Report Card

Indicators of Health and Safety	County Data	National Data	NYS Data	Status	Goal/Objective
Work related hospitalizations (per 10,000 employed persons aged 16+ years)	<b>2004-2006<sup>19</sup></b>		<b>2004-2006<sup>19</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler	25.6		16.0		11.5
% of obese adults (BMI 30+)	<b>2003<sup>14</sup></b>	<b>2006<sup>14</sup></b>	<b>2006<sup>14</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler, Chemung, Tioga	23.0	25.1	22.9		15.0
% of adults engaged in some type of leisure time physical activity	<b>2003<sup>19</sup></b>	<b>2006<sup>19</sup></b>	<b>2006<sup>19</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler, Chemung, Tioga	75.3	77.4	74.0		80.0
% of adults eating 5 or more servings of fruit or vegetables/day	<b>2004-2006<sup>5</sup></b>	<b>2005<sup>19</sup></b>	<b>2009<sup>19</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler, Chemung, Tioga	23.0	23.2	27.4		33.0
% of obese children, 2-4 years (WIC) (pre-school)	<b>2004-2006<sup>19</sup></b>	<b>2004<sup>19</sup></b>	<b>2004-2006<sup>19</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler	19.1	14.8	15.2		11.6
% of WIC mothers breastfeeding at 6 months	<b>2004-2006<sup>19</sup></b>	<b>2005<sup>19</sup></b>	<b>2004-2006<sup>19</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler	21.2	24.3	38.6		50.0
% Anemic children in WIC, 6mo-4 years, low SES	<b>2004-2006<sup>4</sup></b>		<b>2005-2006<sup>4</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler	5.1		11.5		N/A
Increase % of 2 year old children who receive recommended vaccines (4 DTap, 3 polio, 1 MMR, 3 Hib, 3 HepB)	<b>2006<sup>19</sup></b>	<b>2006<sup>19</sup></b>	<b>2006<sup>19</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler	N/A	80.5	82.4		90.0
% cigarette smoking among adults aged 18 and older	<b>2003<sup>3</sup></b>	<b>2006</b>	<b>2006<sup>3</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler, Chemung, Tioga	28.8	20.1%	18.2		12.0











Schuyler County Report Card

Indicators of Health and Safety	County Data	National Data	NYS Data	Status	Goal/ Objective
Percentage of cigarette smoking in adolescents (past month)	2003	2007	2006 <sup>8</sup>		Prevention Agenda 2013 Objective
Schuyler, Chemung, Tioga	NA	20%	16.3%		12.0
% adults reporting 14 or more days with poor mental health in last month	2003 <sup>19</sup>	2002-2006 <sup>19</sup>	2003-2005 <sup>19</sup>		Prevention Agenda 2013 Objective
Schuyler, Chemung, Tioga	10.3	10.1	10.4		7.8
At risk for binge drinking % (drank in past month and had 5 or more drinks per drink occasion) <sup>3</sup>	2003 <sup>3</sup>	2006 <sup>14</sup>	2006 <sup>14</sup>		Prevention Agenda 2013 Objective
Schuyler, Chemung, Tioga	16.3	15.4	15.8		13.4
Drug-related hospitalization per 10,000 age adjusted	2004-2006 <sup>19</sup>	-	2004-2006 <sup>19</sup>		Prevention Agenda 2013 Objective
Schuyler	9.6		34.0		26.0
Motor vehicle related mortality age adjusted rates per 100,000 <sup>4</sup>	2005-2007 <sup>4</sup>	2005 <sup>14</sup>	2005-2007 <sup>4</sup>		Prevention Agenda 2013 Objective
Schuyler	7.3~	15.2	7.5		5.8
Pedestrian injury hospitalizations age adjusted (per 10,000)	2004-2006 <sup>19</sup>		2004-2006 <sup>19</sup>		Prevention Agenda 2013 Objective
Schuyler	0.0~		1.9		1.5
Fall related hospitalizations age 65+ years (per 10,000)	2004-2006 <sup>19</sup>		2004-2006 <sup>19</sup>		Prevention Agenda 2013 Objective
Schuyler	251.7		196.0		155.0
Alcohol related motor vehicle deaths and injuries – crude rate per 100,000 population	2004-2006 <sup>4</sup>		2004-2006 <sup>4</sup>		Healthy People 2010 Goal
Schuyler	7.9		4.2		N/A
Self-Inflicted injury – discharge crude rate per 10,000 population	2004-2006 <sup>4</sup>		2004-2006 <sup>4</sup>		Healthy People 2010 Goal
Schuyler	4.3		5.0		N/A











Schuyler County Report Card

Indicators of Health and Safety	County Data	National Data	NYS Data	Status	Goal/Objective
Chronic Lower Respiratory Disease hospitalization among adults 18+ years per 10,000	2005-2007 <sup>4</sup>	2004 <sup>9</sup>	2005-2007 <sup>4</sup>		Prevention Agenda 2013 Objective
Schuyler	33.9	23.0	36.1		31.0
Chronic Lower Respiratory Disease age adjusted mortality rates per 100,000	2004-2006 <sup>4</sup>	2005 <sup>9</sup>	2004-2006 <sup>4</sup>		Healthy People 2010 Goal
Schuyler	44.4	44.2	31.3		N/A
Asthma Hospital Discharges - Rate per 10,000 Population, Age 0-4	2004-2006 <sup>4</sup>		2004-2006 <sup>4</sup>		Healthy People 2010 Goal
Schuyler	14.0~		61.7		25.0
Asthma related hospitalizations age adjusted per 10,000	2005-2007 <sup>4</sup>	2003 <sup>14</sup>	2005-2007 <sup>4</sup>		Prevention Agenda 2013 Objective
Schuyler	8.9	16.6	20.5		16.7
Asthma related hospitalizations per 10,000, Ages 0-17	2005-2007 <sup>4</sup>	2003 <sup>14</sup>	2005-2007 <sup>44</sup>		Prevention Agenda 2013 Objective
Schuyler	6.3~	22.6	29.6		17.3
Cerebrovascular disease mortality age adjusted rate per 100,000	2005-2007 <sup>4</sup>	2005 <sup>19</sup>	2005-2007 <sup>4</sup>		Prevention Agenda 2013 Objective
Schuyler	26.6~	46.6	29.1		24.0 (48.0 HP 2010)
Diseases of the heart mortality rate per 100,000 – crude	2004-2006 <sup>4</sup>	2005 <sup>15</sup>	2004-2006 <sup>4</sup>		Healthy People 2010 Goal
Schuyler	275.7	219.9	267.2		N/A
Coronary heart disease mortality, per 100,000 age adjusted	2004-2006 <sup>4</sup>	2005 <sup>15</sup>	2004-2006 <sup>4</sup>		Healthy People 2010 Goal
Schuyler	165.2	154.0	198.3		166
Coronary heart disease hospitalizations age adjusted per 10,000	2005-2007 <sup>4</sup>	-	2005-2007 <sup>4</sup>		Prevention Agenda 2013 Objective
Schuyler	48.2		57.4		48.0
Congestive heart failure hospitalization age adjusted rate per 10,000	2005-2007 <sup>4</sup>	2004 <sup>19</sup>	2005-2007 <sup>4</sup>		Prevention Agenda 2013 Objective









Schuyler County Report Card

Indicators of Health and Safety	County Data	National Data	NYS Data	Status	Goal/Objective
Schuyler	30.3	48.9	32.1		33.0
Cardiovascular disease mortality per 100,000 age-adjusted rate	<b>2004-2006<sup>4</sup></b>	<b>2005<sup>15</sup></b>	<b>2004-2006<sup>4</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler	346.4	288.7	320.8		N/A
% of adults with diagnosis of heart attack, angina or stroke	<b>2004-2006<sup>4</sup></b>		<b>2004-2006<sup>4</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler, Chemung, Tioga	7.6		6.9		N/A
Diabetes hospitalization crude rate per 10,000	<b>2004-2006<sup>4</sup></b>	<b>2005<sup>16</sup></b>	<b>2004-2006<sup>4</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler	14.3	54.6	20.7		N/A
Diabetes short-term complication hospitalization rate (per 10,000) ages 6-17	<b>2004-2006<sup>19</sup></b>	<b>2004<sup>19</sup></b>	<b>2004-2006<sup>19</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler	4.3~	2.9	3.0		2.3
Diabetes short-term complication hospitalization rate (per 10,000) ages 18+ yrs	<b>2004-2006<sup>19</sup></b>	<b>2004<sup>19</sup></b>	<b>2004-2006<sup>19</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler	3.8~	5.5	5.3		3.9
Diabetes mortality crude rate per 100,000	<b>2004-2006<sup>4</sup></b>	<b>2005<sup>9</sup></b>	<b>2004-2006<sup>4</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler	22.4*	25.3	20.4		N/A
Diabetes prevalence in adults	<b>2003<sup>19</sup></b>	<b>2006<sup>19</sup></b>	<b>2006<sup>19</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler, Chemung, Tioga	8.3	7.5	7.6		5.7
Cirrhosis – age adjusted mortality rate per 100,000	<b>2004-2006<sup>4</sup></b>	<b>2005<sup>9</sup></b>	<b>2004-2006<sup>4</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler	5.2~	9.3	6.0		N/A
Colorectal cancer – age adjusted incidence rates per 100,000	<b>2001-2005<sup>4</sup></b>	<b>2001-2005<sup>10</sup></b>	<b>2001-2005<sup>4</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler	65.9	51.6	54.1		N/A

Schuyler County Report Card









<b>Indicators of Health and Safety</b>	<b>County Data</b>	<b>National Data</b>	<b>NYS Data</b>	<b>Status</b>	<b>Goal/Objective</b>
Colorectal cancer –mortality age adjusted rates per 100,000	<b>2001-2005<sup>4</sup></b>	<b>2001-2005<sup>10</sup></b>	<b>2001-2005<sup>4</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler	22.5	18.8	19.1		13.9
Colorectal Cancer - % of cases diagnosed at Early Stage	<b>2002-2006<sup>4</sup></b>	<b>1996-2003<sup>14</sup></b>	<b>2002-2006<sup>4</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler	45	40	41		50
Female breast cancer mortality rate per 100,000	<b>2002-2006<sup>7</sup></b>	<b>2001-2005<sup>10</sup></b>	<b>2002-2006<sup>7</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler	19.3	25.0	24.5		22.3
Female breast cancer – age adjusted incidence rate per 100,000	<b>2002-2006<sup>7</sup></b>	<b>2001-2005<sup>10</sup></b>	<b>2002-2006<sup>7</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler	129.3	123.0	124.5		N/A
Female breast cancer - % of cases diagnosed at early stage	<b>2002-2006<sup>4</sup></b>	<b>2005<sup>14</sup></b>	<b>2002-2006<sup>4</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler	64	63	63		80
Have received mammography screening in past two years, women aged 40 years and older	<b>2003<sup>3</sup></b>	<b>2005<sup>11</sup></b>	<b>2003<sup>3</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler, Chemung, Tioga	77.3	66.8	77.6		70
% women 18+ years with pap smear in past 3 years	<b>2001-2005<sup>3</sup></b>	<b>2005<sup>11</sup></b>	<b>2001-2005<sup>3</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler, Chemung, Tioga	87.7	77.7	84.8		90.0
Lung and bronchus cancer – incidence rates per 100,000	<b>2001-2005<sup>4</sup></b>	<b>2001-2005<sup>10</sup></b>	<b>2001-2005<sup>4</sup></b>		<b>Healthy People 2010 Goal</b>
Schuyler	80.9	69.1	64.8		N/A
Lung cancer incidence rate for men per 100,000	<b>2004-2006<sup>19</sup></b>	<b>2004<sup>19</sup></b>	<b>2004-2006<sup>19</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler	97.4	85.3	80.8		62.0
Lung cancer incidence rate for women per 100,000	<b>2004-2006<sup>19</sup></b>	<b>2004<sup>19</sup></b>	<b>2004-2006<sup>19</sup></b>		<b>Prevention Agenda 2013 Objective</b>
Schuyler	67.1	54.2	53.8		41.0

Schuyler County Report Card

Indicators of Health and Safety	County Data	National Data	NYS Data	Status	Goal/Objective
Lung and bronchus cancer mortality rate for men per 100,000	2002-2006 <sup>7</sup>	2001-2005 <sup>10</sup>	2002-2006 <sup>7</sup>		Healthy People 2010 Goal
Schuyler	78.5	72.0	59.4		44.9+
Lung and bronchus cancer mortality rate for women per 100,000	2002-2006 <sup>7</sup>	2001-2005 <sup>10</sup>	2002-2006 <sup>7</sup>		Healthy People 2010 Goal
Schuyler	42.4	41.0	37.1		44.9+
Cervical cancer- early stage diagnosis	2002-2006 <sup>7</sup>	2005 <sup>14</sup>	2002-2006 <sup>7</sup>		Prevention Agenda 2013 Objective
Schuyler	s	53	50		65.0
Cervical cancer mortality age adjusted rate per 100,000	2002-2006 <sup>7</sup>	2005 <sup>14</sup>	2002-2006 <sup>7</sup>		Healthy People 2010 Goal
Schuyler	4.7~	2.4*	2.6		2.0
Prostate cancer mortality age adjusted rate per 100,000	2002-2006 <sup>7</sup>	2001-2005 <sup>10</sup>	2002-2006 <sup>7</sup>		Healthy People 2010 Goal
Schuyler	21.8	26.7	24.4		28.8
Hepatitis B incidence rate per 100,000 population	2004-2006 <sup>4</sup>	2007 <sup>18</sup>	2004-2006 <sup>4</sup>		Healthy People 2010 Goal
Schuyler	0.0~	1.5	1.2		N/A
Newly diagnosed HIV case rate per 100,000	2004-2006 <sup>19</sup>	2006 <sup>19</sup>	2004-2006 <sup>19</sup>		Prevention Agenda 2013 Objective
Schuyler	0.0~	18.5	24.0		23.0
Gonorrhea case rate per 100,000	2005-2007 <sup>4</sup>	2006 <sup>19</sup>	2005-2007 <sup>4</sup>		Prevention Agenda 2013 Objective
Schuyler	8.6~	120.9	91.6		19.0
Tuberculosis case rate per 100,000	2005-2007 <sup>4</sup>	2007 <sup>19</sup>	2005-2007 <sup>4</sup>		Prevention Agenda 2013 Objective
Schuyler	0.0~	4.4	6.4		1.0



Schuyler County Report Card

<b>Indicators of Health and Safety</b>	<b>County Data</b>	<b>National Data</b>	<b>NYS Data</b>	<b>Status</b>	<b>Goal/ Objective</b>
% of adults 65+ years with flu shot past year	2003 <sup>3</sup>	2006 <sup>19</sup>	2006 <sup>19</sup>		<b>Prevention Agenda 2013 Objective</b>
Schuyler, Chemung, Tioga	74.0	69.6	64.7		90.0
% of adults 65+ years with pneumonia shot past year	2003 <sup>3</sup>	2006 <sup>19</sup>	2006 <sup>19</sup>		<b>Prevention Agenda 2013 Objective</b>
Schuyler, Chemung, Tioga	N/A	66.9	61.0		90.0
% of population living within jurisdiction with state-approved emergency preparedness plans	2007 <sup>19</sup>	-	2007 <sup>19</sup>		<b>Prevention Agenda 2013 Objective</b>
Schuyler	100		100		100
<b>Indicators of Social Cohesion</b>	<b>County Data</b>	<b>National Data</b>	<b>NYS Data</b>	<b>Status</b>	<b>Goal/ Objective</b>
Infant Mortality Rate (per 1,000 live births)	2004-2006 <sup>4</sup>	2005 <sup>11</sup>	2004-2006 <sup>4</sup>		<b>Healthy People 2010 Goal</b>
Schuyler	4.0~	6.9	5.8		4.5
Out of wedlock births rate per 100 live births	2004-2006 <sup>4</sup>	2005 <sup>11</sup>	2004-2006 <sup>4</sup>		<b>Healthy People 2010 Goal</b>
Schuyler	44.0	36.9	40.0		N/A
Pregnancies among females aged 15-17 (per 1,000)	2004-2006 <sup>1</sup>	2002 <sup>13</sup>	2004-2006 <sup>1</sup>		<b>Healthy People 2010 Goal</b>
Schuyler	17.5	44.4	36.7		43
Induced Abortions – ratio per 100 live births	2004-2006 <sup>1</sup>	2004 <sup>11</sup>	2004-2006 <sup>1</sup>		<b>Healthy People 2010 Goal</b>
Schuyler	19.6	23.8	48.4		N/A
<b>Indicators of Positive Development through the Life Stages</b>	<b>County Data</b>	<b>National Data</b>	<b>NYS Data</b>	<b>Status</b>	<b>Goal/ Objective</b>
Annual Dropouts-Public Schools, percent of students enrolled in grades 9-12	2006-07 <sup>6</sup>		2006-07 <sup>6</sup>		<b>Healthy People 2010 Goal</b>
Schuyler	2.4		3.1		N/A
Children/Youth (birth-17 yrs.) living below poverty level (%)	2004-2006 <sup>4</sup>	2006 <sup>12</sup>	2004-2006 <sup>4</sup>		<b>Healthy People 2010 Goal</b>
Schuyler	19.8	17.0	19.7		N/A

## Schuyler County Report Card

~ Fewer than 20 events in the numerator; rate is unstable

\* Rate age-adjusted to the 2000 US population

s Suppressed (percent could not be calculated, fewer than 3 cases per year)

+ Reflects males and females



-Indicates favorable status compared to State and/or National Data



- Indicates a closer look is required. Change in percent or rate may be desired.

### Data Sources:

1	NYS Department of Health - Vital Statistics, NYS Community Health Data Set, <a href="http://www.health.state.ny.us/statistics/chac/chds.htm">http://www.health.state.ny.us/statistics/chac/chds.htm</a>
2	NYS DOH, Vital Statistics, <a href="http://www.health.state.ny.us/nysdoh/vital_statistics/2004/table13a.htm">http://www.health.state.ny.us/nysdoh/vital_statistics/2004/table13a.htm</a>
3	Expanded Behavioral Risk Factor Surveillance System, 2003, NYS DOH, <a href="http://www.health.state.ny.us/nysdoh/brfss/expanded/2003/docs/rptstlocreg.pdf">http://www.health.state.ny.us/nysdoh/brfss/expanded/2003/docs/rptstlocreg.pdf</a> ; NYSDOH, EXPANDED BRFSS 2008 Interim County-Specific Reports, HPN
4	NYS Department of Health, County Health Assessment Indicators, <a href="http://www.health.state.ny.us/statistics/chac/chai/docs">http://www.health.state.ny.us/statistics/chac/chai/docs</a>
5	NYS DOH, Obesity Statistics and Prevention Activities, <a href="http://www.health.state.ny.us/statistics/prevention/obesity/county/ontario.htm">http://www.health.state.ny.us/statistics/prevention/obesity/county/ontario.htm</a>
6	NYS Touchstones/Kids Count Data Book, <a href="http://www.ccf.state.ny.us/Initiatives/KidsCountRelate/kcResources/2008DataBookPDFS/2008DataBookFull.pdf">http://www.ccf.state.ny.us/Initiatives/KidsCountRelate/kcResources/2008DataBookPDFS/2008DataBookFull.pdf</a>
7	NYS Cancer Registry, <a href="http://www.health.state.ny.us/statistics/cancer/registry/pdf/volume1.pdf">http://www.health.state.ny.us/statistics/cancer/registry/pdf/volume1.pdf</a>
8	NYS (statewide) Data Source: New York State Department of Health, Youth Tobacco Surveillance New York State 2006, <a href="http://www.health.state.ny.us/prevention/tobacco_control/youth_tobacco_survey.htm">http://www.health.state.ny.us/prevention/tobacco_control/youth_tobacco_survey.htm</a> Source: Centers for Disease Control, Youth Risk Behavior Survey, <a href="http://www.cdc.gov/HealthyYouth/yrbs/">http://www.cdc.gov/HealthyYouth/yrbs/</a>
9	US Data Source: Centers for Disease Control, National Vital Statistics Reports, Volume 56, Number 10 Deaths: Final Data for 2005, <a href="http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56_10.pdf">http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56_10.pdf</a>
10	Centers for Disease Control and Prevention, National Program of Cancer Registries, <a href="http://apps.nccd.cdc.gov/uscs/Table.aspx?Group=5f&amp;Year=2005&amp;Display=n">http://apps.nccd.cdc.gov/uscs/Table.aspx?Group=5f&amp;Year=2005&amp;Display=n</a>
11	Centers for Disease Control and Prevention, Health United States 2008, <a href="http://www.cdc.gov/nchs/data/hus/08.pdf#008">http://www.cdc.gov/nchs/data/hus/08.pdf#008</a> ; <a href="http://www.cdc.gov/nchs/data/hestat/prelimbirths05_tables.pdf#5">http://www.cdc.gov/nchs/data/hestat/prelimbirths05_tables.pdf#5</a>
12	Child Trends Data Bank, <a href="http://www.childtrendsdatabank.org/indicators/12FosterCare.cfm">http://www.childtrendsdatabank.org/indicators/12FosterCare.cfm</a>
13	US Data Source: Centers for Disease Control, National Center for Health Statistics, Recent Trends in Teenage Pregnancy in the US, 1990 – 2002, <a href="http://www.cdc.gov/nchs/products/pubs/pubd/hestats/teenpreg1990-2002/teenpreg1990-2002.htm">http://www.cdc.gov/nchs/products/pubs/pubd/hestats/teenpreg1990-2002/teenpreg1990-2002.htm</a>
14	NYSDOH, County Indicators for Tracking Public Health Priority Areas, <a href="http://mole.health.state.ny.us/prevention/prevention_agenda/indicator_map.htm">http://mole.health.state.ny.us/prevention/prevention_agenda/indicator_map.htm</a>
15	National Center for Chronic Disease Prevention and Health Promotion, Chronic Disease Indicators, <a href="http://apps.nccd.cdc.gov/cdi/default.aspx">http://apps.nccd.cdc.gov/cdi/default.aspx</a>
16	Centers for Disease Control and Prevention, Distribution of First-Listed Diagnoses Among Hospital Discharges with Diabetes as Any Listed Diagnosis, Adults Age 18 and Older, United States, 2005, <a href="http://www.cdc.gov/diabetes/statistics/hospitalization_national.htm">http://www.cdc.gov/diabetes/statistics/hospitalization_national.htm</a>
17	SafeNY.com, New York State and County Traffic Safety Data Reports, <a href="http://www.nysgtsc.state.ny.us/hsdata.htm">http://www.nysgtsc.state.ny.us/hsdata.htm</a>
18	CDC, Surveillance for Acute Viral Hepatitis — United States, 2007, <a href="http://www.cdc.gov/mmwr/PDF/ss/ss5803.pdf">http://www.cdc.gov/mmwr/PDF/ss/ss5803.pdf</a>
19	NYS DOH, State and County Indicators For Tracking Public Health Priority Areas